

$\underline{\textbf{MINISTRY OF HEALTH-BELIZE}}$

LIST OF OVER THE COUNTER MEDICATIONS FOR GENERAL SALE

Definition of Over-the-Counter Medications for General Sale: Medicines that are safe enough to be used by the consumer as indicated on the label with no technical advice from a health professional and not requiring a prescription.

Name	Description and Strength	Dosage Form	Presentation
Acetaminophen (Paracetamol)	500mg or lower	Tablet, Capsule, Caplet	Pouch/ Sachet
Acetaminophen (Paracetamol) for paediatric use	160mg/5ml (32mg/ml) or lower	Oral suspension, Syrup	Bottle of 120mls or less
Acetaminophen (Paracetamol) for paediatric use	80mg or lower	Chewable Tablet	Box or bottle of 30 tablets or less
Ibuprofen	200mg or lower, containing 400 mg or less per oral dosage unit	Tablet, Capsule, Caplet	Pouch/ Sachet
Bismuth Subsalicylate	262mg or lower	Tablet	Pouch/ Sachet
Bismuth Subsalicylate	17.5mg/ml or lower	Oral suspension	Bottle
T com	Combination of 2 or more of the following:	Sparkling Salt	S
	Citric Acid 2 g or 40% w/w or lower	Effervescent	
Combination	Tartaric Acid 0.25g or 0.05 w/w or lower	Tablet	
medication for acid indigestion/ Upset Stomach/	Sodium Bicarbonate 2.5g or 50% w/w or lower		Pouch/ Sachet
heartburn/ biliousness	Sodium Hydrogen Carbonate 1.2 g or 24% w/w or lower		
	Potassium bicarbonate 0.35 g or lower		
	Magnesium Sulphate 0.88g/ 5g (17.6% w/w)	or All	
Combination	Combination of 2 or more of the following:		
Antacid/ Antigas	Aluminium Hydroxide 200mg	Chewable Tablet	Box or bottle of 30 tablets or
Preparation for	Magnesium Hydroxide 200mg		less
Adult Use	Simethicone 25mg		
Combination	Aluminium Hydroxide 200mg/ 5ml or lower		
Antacid/ Antigas	Magnesium Hydroxide 200mg/5ml or lower	Oral Suspension	Bottle of 240mls or less
Preparation for	Simethicone 20mg/5ml or lower		1 1 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
Adult Use			

Skin Protectant Preparation Combination Pain Relief for Adult Use (Migrane headaches, menstrual cramps)	Containing 1 or more of the following ingredients Calamine 8% Zinc Oxide 13% Zinc Acetate 0.1% Pramoxine 1% Combination of 2 or more of the following: Acetaminophen 500mg or lower Acetylsalicylic acid 325mg or lower Caffeine 65mg or lower	Topical cream or Lotion Tablet, Capsule, Caplet	Tube /Bottle Pouch/ Sachet
	Pyrilamine maleate 15mg or lower	3.5	
Combination Cough and Cold Relief for Adult Use	Combination of 2 or more of the following therapeutic classes:	Tablet, Capsule, Caplet, gel capsules, Effervescent Tablet	
	Analgesic/ Antipyretic Including:		
12/8/3	Acetylsalicylic acid 325mg or lower		
	Acetaminophen 500mg or lower		
5	Ibuprofen 200mg or lower		
	Cord Common of Train display		
2, 1	Cough Suppressant Including: Dextromethorphan 10mg or lower	n l	
(3)	Bextrometrospital rolling of lower		/ /
	Antihistamine Including:		Pouch/ Sachet
	Chlorpheniramine 4mg or lower		Foucii/ Sacriet
	Diphenhydramine 25mg or lower		
	Doxylamine 12.5mg or lower		
	Doxylamine 12.5mg of lower		
	Nasal Decongestant Including:		
	417017 - 11 C	OX	
	Phenylephrine 10mg or lower		
	Mucolytic & Expectorant		
	Including:		
	Bromhexine 8mg or lower		
	Guaifenesin 200mg or less		
	Containing 1 or more of the following ingredients		
Oral Lozenges or	Menthol	Lozenge	
cough drops			
	Eucalyptus		
	Liquorice		

Isopropyl alcohol 70% or lower	With or without 1 of the following ingredients: Wintergreen Glycerine	Solution for topical use	Bottle
Hydrogen Peroxide	3% or lower	Solution for topical use	Bottle
Menthol	2.5% or lower	Topical gel Cream	Jar/ Bottle/ Tube
Topical Pain/ Itch Relief	Containing 1 or more of the following: Menthol 10% or lower Camphor 6% or lower Eucalyptus 40% or lower Methyl salicylate 30% or lower Diphenhydramine 2% or lower	Topical gel or cream	Jar/ Bottle/ Tube
Oral Rehydration Solution	Premixed oral rehydration solution	Oral Solution	Bottle
Oral Rehydration Salt	and the same of th	Sachet/ Pouch	

All establishment carrying any medication must display a sign where medications are located indicating that medications should be used in accordance with written instructions on package and that they should consult a medical professional if symptoms persist.

All products must be stored in accordance with the manufacturer's stipulations. Failure to comply may result in confiscation of products.

All products should be appropriately labelled for retail sale with manufacturer's drug facts and instructions for use.

Under no circumstances shall a product be tampered with, repackaged or removed from its complete original packaging.

The sale of medicines is prohibited to persons under the age of twelve (12) years in accordance with the Laws of Belize, Chapter 311 Chemist and Druggist Act.